

# MATERIAL SAFETY DATA SHEET

DISPATCH Heavy-Duty  
Carpet Prespray  
(Concentrate)

MSDS Ref. No: 4366  
Date Prepared: 02/14/2005  
Date Revised: 08/26/2003

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME/USE: DISPATCH Heavy-Duty Carpet Prespray (Concentrate)

### Distributor

Myers Supply, Inc.  
831 Third St.  
Hot Springs, AR 71913

Myers Telephone Number: 501-623-7742  
Emergency Telephone (24 hours): 888-627-8740

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>INGREDIENT(S)</u>	<u>CAS#</u>	<u>% BY WEIGHT</u>
Tripropylene glycol methyl ether	25498-49-1	10 - 25
Diethylene glycol monobutyl ether	112-34-5	7 - 10
Linear primary alcohol ethoxylate	34398-01-1	5 - 7
Naphthalene sodium sulfonate	26264-58-4	3 - 5
Viable bacterial cultures	NA	3 - 5

See Section 8 for Exposure Limits NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

## 3. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

Clear, Amber Liquid . Fresh Odor. May Cause Eye and Skin Irritation.

### POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(S) OF EXPOSURE:  Eye       Skin Contact       Skin Absorption  
 Inhalation       Ingestion

### EFFECTS OF ACUTE EXPOSURE

**EYES:** May cause eye irritation. Symptoms may include redness and pain.

**SKIN:** May cause skin irritation. Symptoms may include redness, rash and mild swelling. Organisms used in this product are non-pathogenic, but can cause infection when in contact with open wounds.

**INHALATION:** High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

**INGESTION:** May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central

## DISPATCH Heavy-Duty Carpet Prespray (Concentrate)

---

nervous system effects including headache, dizziness and weakness.

**EFFECTS OF CHRONIC EXPOSURE:** Prolonged or repeated contact can cause defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**MEDICAL CONDITIONS AGGRAVATED:** May aggravate pre-existing eye, skin and respiratory conditions.

### 4. FIRST AID MEASURES

**EYES:** Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

**SKIN:** Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or open wounds are present.

**INHALATION:** Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

**INGESTION:** Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

### 5. FIRE FIGHTING MEASURES

**FLASH POINT AND METHOD:** > 93°C (200°F)TCC

**FLAMMABLE LIMITS:** Not applicable.

**AUTOIGNITION TEMPERATURE:** Not applicable.

**EXTINGUISHING MEDIA:** Use extinguishing media appropriate for surrounding fire.

**HAZARDOUS COMBUSTION PRODUCTS:** Normal products of combustion (carbon monoxide and carbon dioxide).

**FIRE AND EXPLOSION HAZARDS:** None known.

**FIRE FIGHTING INSTRUCTIONS:** This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

### 6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Ventilate spill area. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

### 7. HANDLING AND STORAGE

**HANDLING:** Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

**STORAGE:** Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**EYE:** Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

**SKIN:** Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

**RESPIRATORY:** No respiratory protection is required if ventilation is adequate.

**ENGINEERING CONTROLS:** Good general room ventilation is expected to be adequate.

**EXPOSURE LIMITS:**

<u>INGREDIENT(S)</u>	<u>OSHA PEL/STEL</u>	<u>ACGIH TLV/STEL</u>
Tripropylene glycol methyl ether	NA	NA
Diethylene glycol monobutyl ether	NA	NA
Linear primary alcohol ethoxylate	NA	NA
Naphthalene sodium sulfonate	NA	NA
Viable bacterial cultures	NA	NA

NA - Not Available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Fresh

**APPEARANCE:** Clear, Amber

**pH:** 10.5

**PERCENT VOLATILE BY WEIGHT:** 85

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**BOILING POINT:** Not Available

**FREEZING/MELTING POINT:** Not Available

**SOLUBILITY IN WATER:** Complete

**EVAPORATION RATE:** Not Available

**SPECIFIC GRAVITY:** 1.01

**VISCOSITY:** Water Thin

**OCTANOL/WATER PARTITION COEFFICIENT:** Not Available

**ODOR THRESHOLD:** Not Available

## 10. STABILITY AND REACTIVITY

**STABILITY (CONDITIONS TO AVOID):** Stable.

**POLYMERIZATION:** Will not occur.

**HAZARDOUS DECOMPOSITION:** None known.

**INCOMPATIBLE MATERIALS:** Strong acids (e.g., hydrochloric) and oxidizers (e.g., bleach). Strong acids and bases may inactivate cultures.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE DATA:** No data is available for this product. The following data are available for product ingredients:

<u>PRODUCT/INGREDIENT</u>	<u>ORAL LD<sub>50</sub> (rat)</u>	<u>DERMAL LD<sub>50</sub> (rabbit)</u>	<u>INHALATION LC<sub>50</sub> (rat)</u>
Tripropylene glycol methyl ether	3200 - mg/kg	>2000 - mg/kg	Not Available
Diethylene glycol monobutyl ether	5660 - mg/kg	4120 - mg/kg	Not Available
Linear primary alcohol ethoxylate	700 - 1700 mg/kg	>2000 - mg/kg	Not Available
Naphthalene sodium sulfonate	Not Available	Not Available	Not Available
Viable bacterial cultures	Not Available	Not Available	9.2 - mg/L (4-hr)

**SENSITIZATION DATA:** No data available.

**CHRONIC DATA:**

Prolonged overexposure to high concentrations of tripropylene glycol methyl ether by dermal absorption has caused kidney effects in laboratory animals.

**REPRODUCTIVE/TERATOGENIC DATA:** No data available.

**CARCINOGENIC/MUTAGENIC DATA:** Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

# DISPATCH Heavy-Duty Carpet Prespray (Concentrate)

**SYNERGISTIC MATERIALS:** No data available.

## 12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

## 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

## 14. TRANSPORT INFORMATION

**DOT/TDG HAZARDOUS MATERIAL DESCRIPTION:** Not regulated

## 15. REGULATORY INFORMATION

*Not meant to be all-inclusive---selected regulations represented.*

### UNITED STATES

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**311/312 HAZARD CATEGORIES:** Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

**313 REPORTABLE INGREDIENTS:** Diethylene glycol monobutyl ether is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

#### CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

**CERCLA REGULATORY:** None of the ingredients in this product are reportable under CERCLA.

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA STATUS:** This product complies with all TSCA inventory requirements.

#### MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

##### INGREDIENT(S)

Water

Tripropylene glycol methyl ether

Diethylene glycol monobutyl ether

Linear primary alcohol ethoxylate

Naphthalene sodium sulfonate

*NA - Not Applicable*

##### CAS NO.    STATE LISTING

7732-18-5    Not Listed

25498-49-1    Not Listed

112-34-5    Not Listed

34398-01-1    Not Listed

26264-58-4    Not Listed

### CANADA


**WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** Class D-Division 2B, eye and skin irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## 16. OTHER INFORMATION

### HMIS RATING

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>REACTIVITY</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>-</b>

### NFPA CODES:



**APPROVED BY:** EH&S/Regulatory Affairs

**MSDS STATUS**

**Revision No: 2**

Revision #: 2

This MSDS replaces the September 19, 2000 MSDS. Any changes in information are as follows:

In Section 1

Date Prepared

**APPROVAL DATE:** 02/14/2005 AB

*The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.*