



MATERIAL SAFETY DATA SHEET \* WAREWASH \*

**SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME | SOLID SPOT FREE

PRODUCT CODE | 160-45

SOLD BY: Myers Supply
STREET ADDRESS: 900 Arch st
CITY, STATE ZIP: Little Rock, AR 72202
PHONE: (501) 372-6677

ISSUE DATE | 01/03/02

SUPERCEDES | 1/03/02

EMERGENCY TELEPHONE NUMBER
1-888-627-8740

**SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS**

Table with 6 columns: HAZARDOUS INGREDIENTS, CAS No., OSHA PEL/TLV, EXPOSURE LIMITS (ACGIH TLV, STEL), OTHER LIMITS. Row 1: None under 29 CFR 1910.1200, NA, NA, NA, NA, NA.

**SECTION 3 – HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW | Causes eye, respiratory, and gastrointestinal irritation.

Table with 2 columns: POTENTIAL HEALTH EFFECTS, Description. Rows: INGESTION (Nausea, diarrhea), INHALATION (Not likely to occur under conditions of use), EYE CONTACT (May irritate eyes), SKIN CONTACT (Not likely to occur under conditions of use).

**SECTION 4 – FIRST AID MEASURES**

Table with 2 columns: FIRST AID MEASURES, Description. Rows: INGESTION (Drink water or milk. DO NOT INDUCE VOMITING. If gastric irritation persists, see a physician.), INHALATION (Not likely to occur under conditions of use.), EYE CONTACT (Flush with water for at least 15 minutes. If irritation persists, see a physician.), SKIN CONTACT (Flush with water.), NOTE TO PHYSICIAN (Treatment based on judgment of the physician in response to reactions of the patient.)

**SECTION 5 – FIRE FIGHTING MEASURES**

FLASH POINT / METHOD	NA ° F NA	FLAMMABLE LIMITS	LEL – NA UEL – NA
% VOLATILE	NA		
EXTINGUISHING MEDIA	Dry chemical, water mist, alcohol foam.		
SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear a self-contained breathing apparatus as in all chemical fires.		
FIRE AND EXPLOSION HAZARDS	None		

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

RESPONSE TO SPILLS	Contain spill. Dilute spilled material with water.
--------------------	--

**SECTION 7 – HANDLING AND STORAGE**

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in a cool, dry place.

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTIONS**

HYGIENIC PRACTICES	Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.
ENGINEERING CONTROLS	Use general mechanical ventilation to remove vapors at the source. Eyewash station is recommended.

RESPIRATOR	Not necessary
GOGGLES / FACE SHIELD	Not necessary
APRON	Not necessary
GLOVES	Not necessary
BOOTS	Not necessary

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Blue solid	BOILING POINT	NA ° F
ODOR	Surfactant	VAPOR PRESSURE	NA
PH 1%	6.5	VAPOR DENSITY	NA
SPECIFIC GRAVITY	NA	EVAPORATION RATE (butyl acetate=1)	NA
SOLUBILITY IN WATER	ND		

**SECTION 10 – STABILITY AND REACTIVITY**

CHEMICAL STABILITY		<b>STABLE</b>	X		<b>UNSTABLE</b>	
<b>CONDITIONS TO AVOID</b>	No special precautions beyond standard safe industrial practices.					
INCOMPATIBILITY						
HAZARDOUS PRODUCTS OF DECOMPOSITION	Oxides of carbon					
POLYMERIZATION		<b>WILL NOT OCCUR</b>	X		<b>MAY OCCUR</b>	
<b>CONDITIONS TO AVOID</b>	Partial oxidation					

**SECTION 11 – TOXICOLOGICAL INFORMATION**

## CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

## OTHER EFFECTS

<b>ACUTE</b>	Irritation may occur to exposed mucous membranes.
<b>CHRONIC</b>	None known
<b>ORAL LD/50</b>	Unknown

**SECTION 12 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL	Diluted material may be flushed to the sewer.
----------------	---

**SECTION 13 – TRANSPORT INFORMATION**

DOT CLASSIFICATION		<b>HAZARDOUS</b>			<b>NOT HAZARDOUS</b>	X
<b>DESCRIPTION</b>	NA					
SEATEX HM CODE	000					

**SECTION 14 – OTHER INFORMATION**

## HMIS CLASSIFICATION

1	<b>BLUE</b>	HEALTH HAZARD
1	<b>RED</b>	FLAMMABILITY
0	<b>YELLOW</b>	REACTIVITY
None	<b>WHITE</b>	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Seatex Corporation in connection with the use of this information.