

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	U.W.CHERRY SPRAY WAX		
PRODUCT CODE	UW-CS-5G	DISTRIBUTOR	Myers Supply, Inc.
ISSUE DATE	02/23/05	STREET ADDRESS	831 Third St.
SUPERCEDES	05/03/01	CITY, STATE ZIP	Hot Springs, AR 71913
		PHONE	(501) 623-7742

EMERGENCY TELEPHONE NUMBER

1-888-627-8740

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

EXPOSURE LIMITS

HAZARDOUS INGREDIENTS	CAS No.	OSHA PEL/TLV	ACGIH TLV	STEL	OTHER LIMITS
Mineral Seal Oil	64741-44-2	NA	NA	NA	NA
Butoxyethanol	111-76-2	25 ppm	25 ppm	NA	NA
Quaternary Ammonium Compounds	61789-77-3	NE	NE	NE	NA
Isopropanol	67-63-0	400 ppm	400 ppm	500 ppm	NA

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Causes eye and skin irritation. Harmful if swallowed. Harmful if inhalation exposure limits are exceeded.

POTENTIAL HEALTH EFFECTS

INGESTION	Irritation, headache, nausea, CNS depression
INHALATION	Irritation to mucous membranes, pneumonitis, pulmonary edema
EYE CONTACT	Irritation
SKIN CONTACT	Irritation

SECTION 4 – FIRST AID MEASURES

INGESTION	Drink large quantities of water or milk. DO NOT INDUCE VOMITING. See a physician immediately.
INHALATION	If mists are formed, leave area until mists have dissipated. If irritation occurs, see a physician.
EYE CONTACT	Flush with water for 15 minutes, occasionally lifting eyelids. See a physician if irritation persists.
SKIN CONTACT	Remove contaminated clothing. Wash skin with soap and water. Wash clothing before reuse. See a physician if irritation persists.
NOTE TO PHYSICIAN	Treatment based on judgment of the physician in response to reactions of the patient.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT / METHOD	>212° F/COC	FLAMMABLE LIMITS	NA
% VOLATILE	NA		
EXTINGUISHING MEDIA		Dry chemical, water mist, alcohol foam, CO2.	
SPECIAL FIRE FIGHTING PROCEDURES		Firefighters should wear a self-contained breathing apparatus as in all chemical fires.	
FIRE AND EXPLOSION HAZARDS		Can form combustible mixtures with air when heated.	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Stop leak. Dike flow of spilled material. Absorb spill on inert material (i.e. saw dust, chalk dust). Flush residual to sewer.
--------------------	--

SECTION 7 – HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in a dry, cool place away from strong oxidizers.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTIONS

HYGIENIC PRACTICES	Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.
ENGINEERING CONTROLS	Use general mechanical ventilation to remove vapors at the source. Eyewash station is recommended.
X RESPIRATOR	Not required
X GOGGLES / FACE SHIELD	Required; chemical splash goggles.
APRON	Not necessary
X GLOVES	Required; chemical resistant type.
BOOTS	Not necessary

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Red liquid.	BOILING POINT	>>212° F
ODOR	Mild	VAPOR PRESSURE	NA
pH	8.5	VAPOR DENSITY	NA
SPECIFIC GRAVITY	.928	EVAPORATION RATE (butyl acetate=1)	< 1
SOLUBILITY IN WATER	Complete		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY	STABLE	X	UNSTABLE
--------------------	--------	---	----------

**CONDITIONS TO AVOID
INCOMPATIBILITY
HAZARDOUS PRODUCTS
OF DECOMPOSITION
POLYMERIZATION
CONDITIONS TO AVOID**

No special precautions beyond standard safe industrial practices.
Strong oxidizers.
Oxides of carbon and nitrogen.
None.

WILL NOT OCCUR X

MAY OCCUR

SECTION 11 – TOXICOLOGICAL INFORMATION

CARCINOGENICITY

X THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING
TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

OTHER EFFECTS

ACUTE Central nervous system depression, headache, nausea, dizziness and coughing.
CHRONIC Chronic exposure to Butoxyethanol may cause damage to liver, kidney and blood forming organs.
ORAL LD/50 Unknown

SECTION 12 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Dispose of solids by incineration or recycling according to Federal, State, and local authorities.

SECTION 13 – TRANSPORT INFORMATION

DOT CLASSIFICATION **HAZARDOUS** **NOT HAZARDOUS** X
DESCRIPTION NA
HM CODE 000

SECTION 14 – OTHER INFORMATION

HMIS CLASSIFICATION

1 **BLUE** HEALTH HAZARD
1 **RED** FLAMMABILITY
0 **YELLOW** REACTIVITY
None **WHITE** SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Myers Supply, Inc. in connection with the use of this information.